



SAFETY

HYGIENIC

COMFORT

DECOLUX™ ELITE


HOMOGENEOUS VINYL FLOORING





# DECOLUX™ ELITE


HOMOGENEOUS VINYL  
Size:2.0mm x 2m x 20m



DE-6012 Steel Blue




DE-6013 Royal Blue




DE-6014 Grape Dark



DE-6015 Dodger Blue




DE-6016 Vioia Middle



DE-6017 Pale Green



DE-6018 Dim Green



DE-6019 Olive Drab




DE-6020 Sirocco



DE-6021 Antique Pink




DE-6022 Pussy Pink



DE-6023 Ruby Red



DE-6024 Peach Light



DE-6025 Quince



DE-6026 Grapefruit



DE-6027 Orchid



# DECOLUX™ ELITE

HOMOGENEOUS VINYL FLOORING

 Size: 2.0mm x 2m x 20m



DE-5001 Extra White



DE-5002 Gray Matters



DE-5003 Network Gray



DE-5004 Gray Screen




DE-5005 Svelte Sage



DE-5006 Anew Gray



DE-5007 Bedrock



DE-5008 Summit Gray



DE-5009 Cadet



DE-5010 Forestwood



DE-5011 Acacia Haze



DE-5012 Black Magic





DE-5013 Honied White



DE-5014 Champagne



DE-5015 Light Nude



DE-5016 Abalone Shell




DE-5017 Pastel Lemon



DE-5018 Rose Colored



DE-5019 Caffè Latte




DE-5020 Nude Beige



DE-5021 Pastel Sand



DE-5022 Pastel Earth



DE-5023 Pastel Ochre



DE-5024 Pastel Amber



DE-5025 Reddish



DE-5026 Redwood



# DECOLUX™ ELITE

HOMOGENEOUS VINYL FLOORING

Size: 2.0mm x 2m x 20m




DE-5027 Gin Green



DE-5028 Sage Green




DE-5029 Forest Green




DE-5030 Yellow Green



DE-5031 Inky Blue





DE-5032 Endless Sea



DE-5033 Navy Blue



DE-5034 Aure Blue



DE-5035 Misty Blue




DE-5036 Azul Bebe



# DECOLUX™ ELITE

HOMOGENEOUS VINYL FLOORING

 Size: 2.0mm x 2m x 20m



DE-6001    Dover White



DE-6002    Nice White



DE-6003    Warm Grey



DE-6004    Pearly White



DE-6005    Silkwort



DE-6006    Lce Gray



DE-6007    Nevada



DE-6008    Middle Grey



DE-6009    Silver



DE-6010    Graphite



DE-6011    Outer Space





# DECOLUX™ ELITE



## BETTER AIR QUALITY

- Lower emissions
- CE certificated



## RECYCLABLE

- The product is 100% recyclable
- Enviromentally friendly



## REACH

- REACH certificated
- No formaldehyde
- No heavy metals
- No DOP






## HEALTH


- Anti-bacterial
- Excellent anti – slip performance
- Comfortable underfoot feeling and excellent acoustic performance

# DECOLUX™ ELITE


## HOMOGENEOURS VINYL

DESCRIPTION	STANDARD	UNIT	RESULT
Total thickness	ISO 24346 / EN 428	mm	2(2.5/3.0mm)
Width of sheet	ISO 24346 / EN 426	m	2
Length of sheet	ISO 24346 / EN 426	m	20
Type of floor covering	ISO 10581 / EN 649	-	Homogeneous Vinyl Flooring
CLASSIFICATION			
European classification	ISO 10784 / EN 685	class	34-43
Reaction to fire	EN 13501 - 1	class	Bfl-s1
	GB 8624 - 2012	-	B1(B-s1,t0)
Toxic testing	GB 18586 - 2001	-	Qualified
Static electrical propensity	EN 1815	KV	≤2
Slip resistance	DIN 51130	class	R9
PERFORMANCES			
Type binder content	ISO 10581 / EN 649	type	II
Dimensional stability	ISO 23999 / EN 434	%	≤0.4
Residual indentation	ISO 24343-1 / EN 425	mm	≤0.1 (≈0.05)
Flexibility	ISO 24344 / EN 435	-	No Cracking
Thermal conductivity	ISO 10456 / EN 12524	W/(m.k)	≈0.25
Castor chair test	ISO 4918 / EN 425	-	OK
Colour fastness to light	ISO 105 - B02	degree	≥6
Chemical resistance	ISO 26987 / EN 423	-	Very good
Bacteria resistance	ISO 846 - 2019	-	Does not support growth
Seam strength	GB/T11982.2-2015	-	≥240N/50mm
Formaldehyde emission	EN 14041:2004	-	ND
Phthalate content test	EN 14372:2004	-	Free of DBP/BBP/DOP/DIVP/DNOP/DIDP
Surface treatment	DuraCare™		
Logistics information	<div><div>2mx20mx2.0mm</div><div>16 Rolls/Pallet</div><div>10Pallets/6400m²</div></div>		


ADVANTAGES




Eco-Friendly




Easy Maintenance




Super Wear-resistant



Anti-slip



Sound Absorbing



Anti-bacterial

APPLICATION



Healthcare



Education



Offices



Shopping Malls



Transportation



Factories

\*The sample is only used as a reference for color selection. The color may slightly different from the actual samples.

\*The above technical parameters are typical test results under laboratory standard test conditions.

\*If you have special requirements for a certain technical parameter, please discuss the specific details with our company when ordering.

